

Effect of Pre-operative Warming During Cesarean Section Under Spinal Anesthesia

Clinical study

AUTHORS

Chung SH1, Lee BS, Yang HJ, Kweon KS, Kim HH, Song J, Shin DW

CENTER AND COUNTRY

Gumi University Center, Korea

TYPE OF STUDY

Prospective, randomized

STUDY OBJECTIVE

To assess the effect of preoperative warming during cesarean delivery under spinal anesthesia for prevention of hypothermia and shivering.

METHODS

Forty-five patients undergoing elective cesarean section were randomly assigned to three groups (WIV, FA and C). Group WIV received warmed intravenous fluid (40°C). In group FA, patients were actively warmed by forced air-warming. Group C was the control group. Forced air-warming and warmed fluid was maintained for the 15 minute preceding spinal anesthesia. Core temperature (tympanic membrane) and the skin temperature of arm and thigh were measured and shivering was graded simultaneously.

STUDY RESULTS

The core temperature at 45 minutes decreased less in Groups WIV and FA than Group C ($-0.5^{\circ}\text{C} \pm 0.3^{\circ}\text{C}$ vs $-0.6^{\circ}\text{C} \pm 0.4^{\circ}\text{C}$ vs $-0.9^{\circ}\text{C} \pm 0.4^{\circ}\text{C}$, respectively; $P = 0.004$). The arm temperature at 15 minutes and 30 minutes exhibited a greater increase in Group FA than Group WIV and Group C ($P = 0.001$ and $P = 0.012$, respectively). The incidence of shivering was significantly less in Group FA and Group WIV than Group C (20%, 13.3%, and 53.3%, respectively; $P = 0.035$).

CONCLUSION

Preoperative forced air-warming and warmed fluid prevents hypothermia and shivering in patients undergoing elective cesarean delivery with spinal anesthesia.

ARTICLE AVAILABLE AT

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3366313/>

YEAR OF PUBLICATION

2012

For more information visit our website at www.smiths-medical.com

PRODUCT(S) DESCRIBED MAY NOT BE LICENSED OR AVAILABLE FOR SALE IN CANADA AND OTHER COUNTRIES

Smiths Medical Australasia Pty. Ltd.
Suite 2.03, 97 Waterloo Road
Macquarie Park NSW 2113
Ph AU: 1800 654 949
www.smiths-medical.com

Distributed by
USL Medical
494 Rosebank Road
Avondale, 1026 New Zealand
Ph NZ: 0800 658 814

MPAUC-1798

smiths medical

Find your local contact information at: www.smiths-medical.com/customer-support

Smiths Medical is part of the global technology business Smiths Group plc. Please see the Instructions for Use/Operator's Manual for a complete listing of the indications, contraindications, warnings and precautions. The Smiths Medical design mark is trademark of Smiths Medical. The symbol © indicates the trademark is registered in the U.S. Patent and Trademark Office and certain other countries. All other names and marks mentioned are the trademarks or service marks of their respective owners. Product referenced is CE marked. ©2017 Smiths Medical. All rights reserved. TM194912GBAUS-112017